

PRILOGA 1
ŠKODLJIVI ORGANIZMI, KATERIH VNOS IN ŠIRJENJE STA PREPOVEDANA

Priloga I, Seznam I.A.I: Škodljivi organizmi, ki niso ugotovljeni na ozemlju Republike Slovenije in katerih vnos in širjenje v Republiko Slovenijo sta prepovedana

(a) žuželke, pršice in ogorčice v vseh razvojnih stadijih

1. *Acleris* spp., neevropske vrste
2. *Amauromyza maculosa* (Malloch)
3. *Anomala orientalis* Waterhouse
4. *Anoplophora chinensis* (Thomson)
5. *Anoplophora malasiaca* (Forster)
6. *Arrhenodes minutus* Drury
7. *Bemisia tabaci* Genn., neevropske populacije, kot vektorji za viruse, kot so zlasti:
 - (a) Bean golden mosaic virus
 - (b) Cowpea mild mottle virus
 - (c) Lettuce infectious yellows virus
 - (d) Pepper mild tigré virus
 - (e) Squash leaf curl virus
 - (f) Euphorbia mosaic virus
 - (g) Florida tomato virus
8. Cicadellidae, neevropske vrste, znane kot vektorji Pierceove bolezni (povzročitelj *Xylella fastidiosa*), kot so zlasti:
 - (a) *Carneiocephala fulgida* Nottingham
 - (b) *Draeculacephala minerva* Ball
 - (c) *Graphocephala atropunctata* (Signoret)
9. *Choristoneura* spp., neevropske vrste
10. *Conotrachelus nenuphar* (Herbst)
- 10.1 *Diabrotica barberi* Smith & Lawrence
- 10.2 *Diabrotica undecimpunctata howardi* Barber
- 10.3 *Diabrotica undecimpunctata undecimpunctata* Mannerheim
- 10.4 *Diabrotica virgifera* Le Conte
11. *Heliothis zea* (Boddie)
- 11.1 *Hirschmanniella* spp., razen *Hirschmanniella gracilis* (de Man) Luc & Goodey
12. *Liriomyza sativae* Blanchard
13. *Longidorus diadecturus* Eveleigh et Allen
14. *Monochamus* spp., neevropske vrste
15. *Myndus crudus* Van Duzee
16. *Nacobbus aberrans* (Thorne) Thorne et Allen
17. *Premnotrypes* spp., neevropske vrste
18. *Pseudopityophthorus minutissimus* (Zimmermann)
19. *Pseudopityophthorus pruinus* (Eichhoff)
20. *Scaphoideus luteolus* (Van Duzee)
21. *Spodoptera eridania* (Cramer)
22. *Spodoptera frugiperda* (Smith)
23. *Spodoptera litura* (Fabricius)
24. *Thrips palmi* Karny
25. Tephritidae, neevropske vrste, kot so zlasti:
 - (a) *Anastrepha fraterculus* (Wiedemann)
 - (b) *Anastrepha ludens* (Loew)
 - (c) *Anastrepha obliqua* Macquart
 - (d) *Anastrepha suspensa* (Loew)
 - (e) *Dacus ciliatus* Loew
 - (f) *Dacus cucurbitae* Coquillett
 - (g) *Dacus dorsalis* Hendel

- (h) *Dacus tryoni* (Froggatt)
- (i) *Dacus tsuneonis* Miyake
- (j) *Dacus zonatus* Saund.
- (k) *Epochra canadensis* (Loew)
- (l) *Pardalaspis cyanescens* Bezzi
- (m) *Pardalaspis quinary* Bezzi
- (n) *Pterandrus rosa* (Karsch)
- (o) *Rhacochlaena japonica* Ito
- (p) *Rhagoletis cingulata* (Loew)
- (q) **Rhagoletis completa* Cresson
- (r) *Rhagoletis fausta* (Östen-Sacken)
- (s) *Rhagoletis indifferens* Curran
- (t) *Rhagoletis mendax* Curran
- (u) *Rhagoletis pomonella* Walsh
- (v) *Rhagoletis ribicola* Doane
- (w) *Rhagoletis suavis* (Loew)
- 26. *Xiphinema americanum* Cobb *sensu lato*, neevropske populacije
- 27. *Xiphinema californicum* Lamberti et Bleve-Zacheo

(b) Bakterije

- 1. *Xylella fastidiosa* (Wells et Raju)

(c) Glive

- 1. *Ceratocystis fagacearum* (Bretz) Hunt
- 2. *Chrysomyxa arctostaphyli* Dietel
- 3. *Cronartium* spp., neevropske vrste
- 4. *Endocronartium* spp., neevropske vrste
- 5. *Guignardia loricata* (Saw.) Yamamoto et Ito
- 6. *Gymnosporangium* spp., neevropske vrste
- 7. *Inonotus weirii* (Murrill) Kotlaba et Pouzar
- 8. *Melampsora farlowii* (Arthur) Davis
- 9. *Monilinia fructicola* (Winter) Honey
- 10. *Mycosphaerella larici-leptolepis* Ito *et al.*
- 11. *Mycosphaerella populorum* G.E. Thompson
- 12. *Phoma andina* Turkensteen
- 13. *Phyllosticta solitaria* Ell. et Ev.
- 14. *Septoria lycopersici* Speg. var. *malagutii* Ciccarone et Boerema
- 15. *Thecaphora solani* Barrus
- 15.1 *Tilletia indica* Mitra [96/78]
- 16. *Trechispora brinkmannii* (Bresad.) Rogers

(d) Virusi in virusom podobni organizmi

- 1. Elm phloem necrosis mycoplasma
- 2. Krompirjevi virusi in virusom podobni organizmi kot so zlasti:
 - (a) Andean potato latent virus
 - (b) Andean potato mottle virus
 - (c) Arracacha virus B, oca strain
 - (d) Potato black ringspot virus
 - (e) Potato spindle tuber viroid
 - (f) Potato virus T

- (g) neevropski izolati krompirjevih virusov A, M, S, V, X and Y (vključno z Y^O, Y^N and Y^C) in virus zvižanja krompirjevih listov (Potato leaf roll virus)
- 3. Tobacco ringspot virus
- 4. Tomato ringspot virus
- 5. Virusi in virusom podobni organizmi na *Cydonia* Mill., *Fragaria* L., *Malus* Mill., *Prunus* L., *Pyrus* L., *Ribes* L., *Rubus* L. in *Vitis* L., kot so zlasti:
 - (a) Blueberry leaf mottle virus
 - (b) Cherry rasp leaf virus (American)
 - (c) Peach mosaic virus (American)
 - (d) Peach phony rickettsia
 - (e) Peach rosette mosaic virus
 - (f) Peach rosette mycoplasma
 - (g) Peach X-disease mycoplasma
 - (h) Peach yellows mycoplasma
 - (i) Plum line pattern virus (American)
 - (j) Raspberry leaf curl virus (American)
 - (k) Strawberry latent "C" virus
 - (l) Strawberry vein banding virus
 - (m) Strawberry witches' broom mycoplasma
 - (n) Neevropske vrste virusov in virusom podobnih organizmov na *Cydonia* Mill., *Fragaria* L., *Malus* Mill., *Prunus* L., *Pyrus* L., *Ribes* L., *Rubus* L. in *Vitis* L.
- 6. Virusi, ki jih prenaša *Bemisia tabaci* Genn., kot so:
 - (a) Bean golden mosaic virus
 - (b) Cowpea mild mottle virus
 - (c) Lettuce infectious yellows virus
 - (d) Pepper mild tigré virus
 - (e) Squash leaf curl virus
 - (f) Euphorbia mosaic virus
 - (g) Florida tomato virus

(e) Parazitske rastline

- 1. *Arceuthobium* spp., neevropske vrste

Priloga 1, Seznam I.A.II: Škodljivi organizmi, ki so ugotovljeni na ozemlju Republike Slovenije in katerih vnos in širjenje v Republiko Slovenijo sta prepovedana

(a) žuželke, pršice in ogorčice v vseh razvojnih stadijih

- 1. ***Globodera pallida* (Stone) Behrens
- 2. ***Globodera rostochiensis* (Wollenweber) Behrens
- 3. *Heliothis armigera* (Hübner)
- 4. *Liriomyza bryoniae* (Kaltenbach)
- 5. *Liriomyza trifolii* (Burgess)
- 6. *Liriomyza huidobrensis* (Blanchard)
- 6.1 *Meloidogyne chitwoodi* Golden *et al.*, vse populacije
- 6.2 *Meloidogyne fallax* Karssen
- 7. *Opogona sacchari* (Bojer)
- 8. *Popillia japonica* Newman
- 8.1 *Rhizoecus hibisci* Kawai & Takagi
- 9. *Spodoptera littoralis* (Boisduval)

(b) Bakterije

- 1. ***Clavibacter michiganensis* (Smith) Davis *et al.* ssp. *sepedonicus* (Spieckermann et Kotthoff) Davis *et al.*

2. ***Pseudomonas solanacearum* (Smith) Smith

(c) Glive

1. *Melampsora medusae* Thümen
2. *Synchytrium endobioticum* (Schilbersky) Percival

(d) Virusi in virusom podobni organizmi

1. Apple proliferation mycoplasm
2. Apricot chlorotic leafroll mycoplasm
3. Pear decline mycoplasm